ROLLER Payments
Terminals &





ROLLER Payments Terminals



P400 Plus

With its small footprint and ethernet connection, the Verifone P400 Plus works well on a stationary retail counter.



V400c Plus

The V400c Plus is similar to the P400, but also features a built-in printer.



V400m

The V400m can be powered by a power adapter, or with the included battery pack. It features a built-in printer and 4G fallback in case of connection issues.



S1F2

Mobile terminal with Android Terminal with fast-printing. It features a built-in printer and 4G fallback in case of connection issues.



Castles AMS1

A compact, Android-based terminal built for secure, on-the-go payment processing: contactless, chip, and magnetic stripe payments.

Type Ethernet

Wi-Fi

Cellular

Receipt Printing Countertop



V



Through POS

Countertop



V

X

Built-in printer

Portable

with optional Bluetooth Base



4G

Built-in printer

Portable





4G

Built-in printer

Portable





(3G/4G with free eSIM)



P400 Plus - Ethernet Recommended

Specifications

- 167mm L x 80mm W x 44mm H / 6.6" L x 3.1" W x 1.7" H
- Standard power supply (5-12VDC max power consumption)
- Power plug options for EU, UK, USA, and some APAC regions
- Connectivity housing includes Ethernet, 5 GHz + 2.4 GHz wifi, bluetooth 4.2 (iBeacon only)
- 3.5" HVGA capacitive color touchscreen with Corning® Gorilla® Glass technology
- · Contactless, ewallet reader, triple track bi-directional MSR
- · Mono audio speaker

Accessories



1.0m Dongle Ethernet/RS232/USB



Keypad Privacy Shield

What's in the box

- Terminal device P400 Plus
- · Power Supply with regional plug type
- Dongle Ethernet/RS232/USB 1,0m
- Privacy Shield



Ethernet cable not included



P400 Plus - Power over Ethernet



A Requires specialist setup

Specifications

- 167mm L x 80mm W x 44mm H / 6.6" L x 3.1" W x 1.7" H
- Connectivity housing includes Ethernet, 5 GHz + 2.4 GHz wifi, bluetooth 4.2 (iBeacon only)
- 3.5" HVGA capacitive color touchscreen with Corning® Gorilla® Glass technology
- · Contactless, ewallet reader, triple track bi-directional MSR
- · Mono audio speaker

Accessories



2.5m Dongle PoE RS232/FTH/USB



Keypad Privacy Shield

What's in the box

- Terminal device P400 Plus
- Dongle PoE RS232/ETH/USB 2,5m
- Privacy Shield

Ethernet cable not included



S1F2

Specifications

- 200 mm L x 78 mm W × 56 mm H / 7.9" L x 3.1" W x 2.2" H
- Connectivity housing includes 5 GHz and 2.4 GHz wifi, 4G/3G, bluetooth 4.1
- 5.5" 1280x720 color TFT capacitive touch display
- Contactless, ewallet reader, triple track bi-directional MSR
- Speaker and 4 pole audio jack
- 495 g / 1.09 lbs

Accessories



Receipt Roll

What's in the box

- Terminal device S1F2
- Power Supply with regional plug type
- Printer Roll



V400c Plus

Specifications

- 190mm L x 80mm W x 70mm H / 7.5" L x 3.1" W x 2.8" H
- Standard power supply: 5-12VDC max power consumption
- Power plug options for EU, UK, USA and some APAC regions
- Connectivity housing includes ethernet, wifi, Bluetooth 4.2
- Printer, 30lps & 40mm paper roll
- 3.5" HVGA capacitive color touchscreen
- Contactless, ewallet reader, triple bi-directional MSR
- · Mono audio speaker
- ~310g / 0.68lbs

Accessories







Keypad Privacy Shield

What's in the box

- Terminal device V400c Plus
- Power Supply with regional plug type
- Receipt Roll
- Privacy Shield



Ethernet cable not included



V400m

Specifications

- 161mm L x 73mm W x 59mm H / 6.3" L x 2.9" W x 2.3" H
- Charging base powered RS-232, dial-up, Ethernet, USB client, Bluetooth
- Connectivity housing includes wifi 2.4Ghz + 5Ghz wifi, 4G, Bluetooth 4.2
- Power plug options for EU, UK, USA, and some APAC regions
- Battery 3.8 V/2890 mAH Li-ion; PSU: 100- 240 VAC w/ output DC 5 V, 2.2 amp
- Contactless, ewallet reader, triple bi-directional MSR
- 3.5" color capacitive touchscreen
- · Mono audio speaker
- ~310g / 0.68lbs

What's in the box

- Terminal device V400m
- Power Supply with regional plug type
- Receipt Roll
- SIM Card
- Battery





Receipt Roll




Standard Charging Base



Bluetooth Charging Base





Specifications

- 175mm L x 155mm W × 43mm H / 6.9" L x 6.1" W x 1.7" H
- Standard power supply (12W, 12V DC1A, input requirements: 100-240VAC, 50/60Hz)
- Power plug options for EU, UK, USA, and some APAC regions
- Connectivity housing includes USB, RS-232, optional Ethernet, wifi, Bluetooth 4.0
- 854 x 480 (5") FWVGA, color touch LCD with Corning® Gorilla® Glass technology ▲ Ethernet cable not included
- Contactless, ewallet reader, triple track bi-directional MSR
- Audio speaker

What's in the box

- Terminal device M400
- · Power Supply with regional plug type
- Cube Ethernet
- Stylus Pen
- Privacy Shield









Keypad Privacy Shield



Not Available in APAC

Specifications

- 175mm L x 155mm W × 43mm H / 6.9" L x 6.1" W x 1.7" H
- Standard power supply (12W, 12V DC1A, input requirements: 100-240VAC, 50/60Hz)
- Power plug options for EU, UK, USA, and some APAC regions
- Connectivity housing includes USB, RS-232, optional Ethernet, wifi, Bluetooth 4.0
- 854 x 480 (5") FWVGA, color touch LCD with Corning® Gorilla® Glass technology ▲ Ethernet cable not included
- Contactless, ewallet reader, triple track bi-directional MSR
- Audio speaker

What's in the box

- Terminal device M400
- · Power Supply with regional plug type
- Cube Ethernet
- Stylus Pen
- Privacy Shield









Keypad Privacy Shield

Castles AMS1

Available where RP is supported

Specifications

- 122mm L x 67mm W x 18mm H / 4.8" L x 2.6" W x 0.7" H
- Battery: 2598 mAh Li-ion, 10Wh, replaceable
- Charging: USB-C (Adyen-supplied cable and plug)
- Connectivity housing includes Wi-Fi (2.4 GHz + 5 GHz), 3G/4G cellular (pre-installed eSIM), Bluetooth
- Processor: Quad-core 1.3 GHz ARM Cortex-A7
- Memory: 2GB RAM, 16GB Flash
- Operating System: Android 10
- Touchscreen: 4" capacitive color LCD (480x800 resolution)
- Contactless, eWallet, chip, and magnetic stripe card reader
- Built-in mono speaker
- ~170 g / 0.37 lbs

Included:

- USB-C charging cable
- Region-specific power adapter

Optional:

- Charging dock
- Protective case or holster
- Spare battery



Customize your terminals

Show an image on the terminal

You can show an image on the display of your payment terminal, for example your logo or an advertisement. By showing an image, you can use your terminal to improve brand awareness and increase shopper loyalty or for marketing purposes.

There is a one-off configuration fee to have a custom image uploaded, see the ROLLER Payments pricing page for details.

Guidelines

For P400Plus, V400cPlus & V400m terminals:

- 320 x 450 pixels
- PNG, JPEG, GIF, or BMP file that you convert to Base64
- Max. 512 KB

For M400 terminals:

- 854 x 432 pixels
- PNG, JPEG, GIF, or BMP file that you convert to Base64
- Max. 512 KB

For S1F2 terminals:

- 720 x 1280 pixels
- BMP, JPG, JPEG, PNG file (GIF not supported)
- Max. 1 MB

